

FSA Pricing

Bid Award**Contract:** FSA22-VEH20.0, Heavy Trucks & Buses**Group:** CAB AND CHASSIS TRUCKS: 52,000 LB GVWR 4X6 SEMI TRACTOR**Item:** 101, Kenworth, T880, T880

Zone	Rank	Vendor	Price	Percent:	Build File	Options File
Western	Primary	Kenworth of Jacksonville	\$140,505.00	0.00%	Build	Options
	Alternate	Florida Kenworth, LLC	\$142,194.00	0.00%	Build	Options
Northern	Primary	Kenworth of Jacksonville	\$140,255.00	0.00%	Build	Options
	Alternate	Florida Kenworth, LLC	\$142,194.00	0.00%	Build	Options
Central	Primary	Florida Kenworth, LLC	\$142,194.00	0.00%	Build	Options
Southern	Primary	Florida Kenworth, LLC	\$142,194.00	0.00%	Build	Options



KENWORTH

KENWORTH OF JACKSONVILLE (K440)
1121 SUEMAC RD
JACKSONVILLE, Florida 32254

FLORIDA SHERIFFS ASSOCIATION
PO BOX 1188
GAINESVILLE, Florida 32602
United States of America

Ed Costello
Cell Phone: 904-588-8999
Office Phone: 904-739-2296
Email: edcostello@kwjax.com

Craig Chown

Email: cchown@flsheriffs.org

Vehicle Summary

Unit		Chassis	
Model:	T880 Series Conventional	Fr Axle Load (lbs):	12000
Type:	TRACTOR	Rr Axle Load (lbs):	40000
Description 1:	Item 101	G.C.W. (lbs):	80000
Description 2:	52000 GVWR 6x4 TR		
Application		Road Conditions:	
Intended Serv.:	Local pickup & delivery: Vehicles	Class A (Highway)	80
	which		
Commodity:	General freight.	Class B (Hwy/Mtn)	20
		Class C (Off-Hwy)	0
Body		Class D (Off-Road)	0
Type:		Maximum Grade:	6
Length (ft):	0	Wheelbase (in):	187
Height (ft):	0	Overhang (in):	60
Max Laden Weight (lbs):	0	Fr Axle to BOC (in):	68
Trailer		Cab to Axle (in):	119
No. of Trailer Axles:	2	Cab to EOF (in):	179
Type:	Dry van	Overall Comb. Length (in):	691.5
Length (ft):	40		
Height (ft):	12	Special Req.	
Kingpin Inset (in):	24	U.S. Domestic registry, 50-state.	
Corner Radius (in):	0		
Restrictions			
Length (ft):	120		
Width (in):	102		
Height (ft):	13.5		

Approved by:

Date:

Note: All sales are F.O.B. designated plant of manufacture.



Sales Code	Std/ Opt	Description	Weight
Model			
0000810	S	T880 Series Conventional	15,549
0070060	S	T880	0
0072000	O	Chassis operation will not incl. stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	0
0080075	O	Dealer/Customer declines engine w/CARB Idle Emissions Reduction Feature.	0
0090000	S	Non-Sleeper w/rear axle capacity less than 59K.	0
0098409	O	State of Registry: Florida	0

Engine & Equipment

0701100	O	MX-11 355 355@1600 1250@900 2021 with Engine Brake N09020 AE001 NO....ENBL MX RETARDER IN NEUTRAL N08200 AE002 650...IDLE TARGET N09100 AA003 65....CC MAX TARGET SPD N09110 AA004 10....CC MIN ENABLE SPD N09120 AA005 OFF...DYNAMIC CC ENABLE N09440 AA061 2000..CAB:MAX ENG SPD-ACCEL CNTRL N09430 AA062 2000..CAB: MAX ENG SPD - SW CNTRL N09420 AA063 6.....CAB: MAX VEH SPD N09510 AA065 800...CAB: DEDICATED PRESET "-" N09520 AA066 900...CAB: DEDICATED PRESET "+" N09780 AA049 CNCL..CAB: CUSTOM PRESET 1 FUNC N09640 AA050 0.....CAB: CUSTOM PRESET 1 N09790 AA051 CNCL..CAB: CUSTOM PRESET 2 FUNC N09650 AA052 0.....CAB: CUSTOM PRESET 2 N09800 AA053 CNCL..CAB: CUSTOM PRESET 3 FUNC N09660 AA054 0.....CAB: CUSTOM PRESET 3 N09500 AA060 OFF...CAB: PRESET +/- SW TYPE N09630 AA067 TRQ...CAB:ACCEL PEDAL TYPE IN PTO N09400 AA068 YES...CAB:ACCEL ACTV IN CAB PTO N09470 AA055 ON....CAB: CLUTCH INTLK N09840 AA056 OFF...CAB: CUSTOMER INTLK N09480 AA057 ON....CAB: NEUTRAL INTLK N09460 AA058 ON....CAB: PARK BRK INTLK N09490 AA059 ON....CAB:SER BRK INTLK:NO PTO N09540 AA074 2000..REM:MAX ENG SPD-ACCEL CNTRL N09530 AA075 2000..REM:MAX ENGSPD-SW/TSC1 CTRL N09610 AA077 800...REM: DEDICATED PRESET "-" N09620 AA078 900...REM: DEDICATED PRESET "+" N09810 AA043 CNCL..CAB/REM:CUSTOM PRESET1 FUNC N09670 AA044 750...CAB/REM: CUSTOM PRESET 1 N09820 AA045 CNCL..CAB/REM:CUSTOM PRESET2 FUNC	-288
---------	---	---	-------------

Price Level January 1, 2022

100% Complete

Date: August 17, 2022

Deal/Item 101

Quote Number QUO-612360-Y5X7T3

Printed On 8/18/2022 2:56:18 PM



Sales Code	Std/ Opt	Description	Weight
		N09680 AA046 850...CAB/REM:CUSTOM PRESET 2	
		N09830 AA047 CNCL..CAB/REM:CUSTOM PRESET3 FUNC	
		N09690 AA048 950...CAB/REM: CUSTOM PRESET 3	
		N09600 AA079 OFF...REM: PRESET +/- SW TYPE	
		N09410 AA069 YES...PTO REM PEDAL ENABLE	
		N09560 AA070 ON AD.REM: CLUTCH INTLK	
		N09700 AA071 OFF...REM: CUSTOMER INTLK	
		N09570 AA072 ON AD.REM: NEUTRAL INTLK	
		N09580 AA073 ON AD.REM:SER BRK INTLK:NO PTO	
		N09550 AA076 650...REM: MIN ENG SPD	
		N09450 AA064 650...CAB: MIN ENG SPD	
		N09760 AA009 5.....DRIVER REWARD VEH SPD BONUS	
		N09770 AA010 -5.....DRIVER REWARD VEH SPD PNLT	
		N09750 AA013 NONE..OFFSET MODE	
		N09720 AA015 3.....MIN SPD FOR DR SHIFT AID	
		N09730 AA016 10.....DSA LOWEST ACTV GEAR	
		N09740 AA017 1.....DSA HIGHEST ACTV GEAR	
		N09340 AA019 YES...EIST PARK BRK RESET ENABLE	
		N09300 AA022 30.....EIST LO CLNT TEMP OVERRIDE	
		N09290 AA023 80.....EIST HI AMBAIR TEMP OVRDE	
		N09280 AA024 39.....EIST LO AMBAIR TEMP OVRDE	
		N09260 AA025 5.....EIST PTO MAX IDLE TIME	
		N09230 AA026 5.....EIST PARKED MAX IDLE TIME	
		N09220 AA027 5.....EIST STANDSTILL IDLE TIME	
		N09240 AA029 YES...EIST RESET FROM ENG LOAD	
		N09250 AA030 NO....EIST OVERRIDE FROM ENG LOAD	
		N09200 AA031 0.....EIST EXPIRATION DISTANCE	
		N09310 AA032 YES...EIST ACCEL PEDAL RESET	
		N09330 AA033 YES...EIST SERVICE BRK RESET	
		N09320 AA034 YES...EIST CLUTCH PEDAL RESET	
		N09270 AA035 YES...EIST PTO OVERRIDE	
		N08030 AA086 65.....MAX ACCEL PEDAL VEH SPD	
		N08000 AA087 0.....VSL EXPIRATION DISTANCE	
		N08020 AA088 65.....LRSL SPD LMT	
		N09350 AA042 1400..FAST IDLE CNTRL MAX ENG SPD	
		N09050 AA037 4.....DSL SPD OFFSET	
		N09040 AA038 2.....AUTO RTRDR VEH SPD OFFSET	
		N09030 AA039 0.....TIME DELAY FOR RTRDR ACT	
		N09130 AA006 MT....MULTI TORQUE IN CC	
		N09080 AQ001 4.....PCC Negative Offset	
		N09090 AQ002 4.....PCC Positive Offset	
		N09710 AA089 NO....REMOTE INPUTS IN CAB PTO	
		N08200 AE002 650...IDLE TARGET	
1000046	O	EPA Emissions Warranty Engine	0
1000151	S	PremierSpec	0
1000206	O	Engine monitoring protection -Shutdown- PACCAR MX engine parameter.	0
1000244	O	Gearing Analysis: Balance power/economy blend results.	0

Price Level January 1, 2022

100% Complete

Date: August 17, 2022

Deal Item 101

Quote Number QUO-612360-Y5X7T3

Printed On: 8/18/2022 2:56:18 PM



Sales Code	Std/Opt	Description	Weight
1000254	O	Customer's Typical Operating Spd: 65 mph.	0
1000282	O	MX Retarder State Cruise Control On Manual Mode Selecting this code will program the engine controller to make manual mode available when cruise control is on, but not set, and the engine brake switch is on. Manual mode means the engine retarder activates whenever the throttle pedal is not depressed. 2013+	0
1000683	O	Effective VSL Setting 65.0 MPH or Greater (USA)	0
1000858	O	Engine Idle Shutdown Timer Disabled	0
1000891	O	Eff EIST NA Expiration Miles Use only with MX and Cummins engines	0
1006003	S	Air Compressor: WABCO 25.9 CFM PACCAR MX 2017+ 440cc Air Compressor	0
1051200	S	Air Cleaner: composite firewall mounted PACCAR or Cummins engines	0
1105211	O	Fan Hub: Horton On/Off for PACCAR MX	0
1123555	S	Cooling module: 1330 square inches. Includes aluminum radiator core, aluminum charge air cooler, translucent surge tank and washer bottle, silicone hoses, and extended life coolant.	0
1247235	O	EXH: 2021 RH Under DPF/SCR with Single Vertical RH BOC tailpipe, Not Sleeper	0
1290124	O	Tailpipe: 5 in. single 24 in. 45 degree curved.	-3
1321101	S	Fuel Filter: PACCAR Extended Service Interval On-Engine Fuel/Water Separator. 2021 Emissions MX Engines only.	0
1321205	S	Run Aid:Fuel Heat *For Fuel Filter	0
1321305	S	Start Aid:12V Heat *For Fuel Filter	0
1812163	S	Alternator: PACCAR HDS 160 AMP Brushed	0
1821220	O	Batteries: 2 PACCAR GP31 threaded post (700-730) 1400-1460 CCA dual purpose.	-57
1836102	S	PACCAR Premium 12V Starter with PACCAR MX Engines PACCAR 12 volt electrical system. With centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded.	0
1901017	S	Remote PTO/Throttle, 12-Pin, Engine Bay Remote Control Provision	0
1903020	O	Decline Driver Performance Assistant (DPA)	0
Transmission & Clutch			
2057360	O	Transmission: Fuller FRO14210C 10-speed Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	75

Price Level January 1, 2022

100% Complete

Date: August 17, 2022

Deal Item 101

Quote Number QUO-612360-Y5X7T3

Printed On: 8/18/2022 2:56:18 PM



Sales Code	Std/ Opt	Description	Weight
2250491	O	Clutch: Eaton 15-1/2 in. Advantage Self-Adjust to 1700 ft-lb, Ceramic, 4-Paddle	2
2294080	O	Air-assisted Hydraulic Clutch	0
2408302	S	Driveline: 1 Meritor RPL25 SD; No Centerbearing	0
2429351	O	First Transmission PTO compatibility - Chelsea 230/236/238/442/489/660/680-V3 or Muncie CS8/SH8/TG8S-P1 bottom mounted 6 or 8-Bolt PTO's for all Eaton & PACCAR transmissions. This application includes use of the standard hydraulic clutch actuator on Eaton FR & RT transmissions and supports bottom mounted 6 and 8-Bolt PTO's with single acting air actuation.	0
2429361	O	First Customer Installed Eaton/PACCAR Trans PTO.	0
2493009	O	Aluminum clutch housing	0
Front Axle & Equipment			
2502240	O	Dana Spicer E-1252IL Front Axle rated 12.5K 3-1/2in. drop. Not W9L/C5.	-132
2601605	O	Front Brakes: 13.2K Bendix RSD HP-ES S-Cam 16.5x5 in. drum brake.	-62
2690002	O	Front Brake Drums: 14.6K 16.5x5 in. cast.	78
2702500	O	Front Hub: iron hub pilot 14,600 lbs. 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels.	48
2741970	S	ConMet PreSet Plus Hub package; front axle.	0
2750001	S	Hubcap: front vented.	0
2765001	O	Front Auto Slack Adjuster.	0
2863012	O	Front Springs: Taperleaf 12K w/ shock absorbers w/ maintenance-free elastomer spring pin bushings. Standard with rubber pins except for C500 which has threaded pins. Not available on W900L.	-126
2895221	O	Single power steering gear: 13.2K Sheppard HD94.	-73
2899341	O	Delete standard power steering cooler.	-11
2900615	O	Threaded bushings for taperleaf springs 12K - 14.6K replacing rubber: T6/T8, W900B, W990. W9L gets as standard: code not required. Not available with W9S. 13K - 14.6K for T370.	0
Rear Axle & Equipment			
3124400	O	Dual Dana Spicer DSP40 rear axle rated at 40K. w/ 9.5mm housing and 1.88in. shaft diameter. Tandem rear axles.	-452
3200355	O	Rear Axle Ratio - 3.55.	0

Price Level January 1, 2022

100% Complete

Date August 17, 2022

Deal Item 101

Quote Number QUO-612360-Y5X7T3

Printed On: 8/18/2022 2:56:18 PM



Sales Code	Std/ Opt	Description	Weight
3304012	O	Dual Rear Brake: Bendix RSD 16.5X7 46K Capacity Reduced Stopping Distance Tractor Only. RSD-Compliant HP-ES S-Cam, tandem axle drum brake.	24
3392005	S	Dual Rear Brake Drums: cast.	0
3407050	S	Dual Rear Hubs: Aluminum hub pilot 46K 11-1/4 in. bolt circle.	0
3441972	S	ConMet PreSet Plus Hub package; dual rear axle.	0
3465002	S	Dual Rear axle automatic slack adjusters.	0
3485207	S	Spring Brake: 3030 long stroke dual 30 square inches travel. Helps keep brakes in adjustment longer.	0
3495225	O	FMVSS-136 Stability Control Schedule Review Chassis meets FMVSS-136 requirements and must be equipped with Electronic Stability Control. Reference Option code placed on order.	0
3495229	O	Bendix 4S/4M anti-lock brake system w/ air traction control (ATC) & electronic stability program (ESP) for tractor.	11
3500058	S	Interaxle Driveline: 1 Meritor RPL20 Replacing I/A *Use W/ RPL(SD) 25 Main D/L	0
3736418	O	Rear suspension: Tandem Reyco 102 40K. 4-spring multileaf & 52 in. axle spacing. Steel crossmembers & gussets. Unladen Height: 10.8 in. Laden Height: 9.2 in.	116
3830145	O	Delete standard heavy-duty air springs for rear suspension.	-28
Tires & Wheels			
4079058	O	Front tires: Bridgestone R268 Ecopia 11R22.5 14PR. 41.5 in. diameter, all position. F-side wall protector bar. 19.3 in. SLR. Smartway certified.	16
4277513	O	Rear tires: Bridgestone M760 Ecopia 11R22.5 14PR. 42.2 in. diameter, drive. 19.6 in. SLR. Smartway certified. Code is priced per pair of tires.	168
4900008	O	Rear Tire Quantity: 8	0
5042275	O	Front Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible.	0
5242375	O	Rear Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	-48
5853906	O	Powder coat white steel wheel. Use in conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	0
5900008	O	Rear Wheel/Rim Quantity: 8	0

Frame & Equipment

Price Level January 1 2022

100% Complete

Date: August 17, 2022

Deal Item: 101

Quote Number: QUO-612360-Y5X7T3

Printed On: 8/18/2022 2:56:18 PM



Sales Code	Std/ Opt	Description	Weight
6054200	O	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 284 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80, RBM is 1,776,000 in.-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	75
6301437	O	Bumper: Straight steel, painted channel. Requires a bumper setting code.	50
6319485	S	48.5 in. Bumper setting. Requires a bumper code.	0
6391201	O	Custom Frame Layout: one chassis CFL C/M: No CM within 12" BOC	0
6405048	S	Battery box module: Short length aluminum parallel under cab, aluminum diamond plate cover w/ step. Up to 2 air tanks may mount to bottom of box. Batteries will be oriented perpendicular on rail.	0
6409901	S	Battery box location: LH Side.	0
6451090	S	T470,C5, T6, T8 non-polished DPF/SCR or CNG cover diamond plate w/ step. For use w/ 2010 or later exhaust systems. For T8, use extended length non-polished battery box on opposite rail to match the length of under cab components. End plates will be painted standard black frame color.	0
6541273	O	Fifth Wheel: Fixed, Holland FW17Z700XL00 6.81 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	341
6680000		FifthWheelRearFixedSetting FW rear/fixed setting behind and 0 in	0
6721102	S	Rear mudflap arms: Betts B-25 standard-duty, straight. Includes B1732 mounting brackets as standard.	0
6722000	S	Rear mudflap shields: White plastic antisail w/ Kenworth logo.	0
6744123	O	Short Tractor Taper bent & welded w/o cross member. Non-towing end-of-frame configuration.	-2
6747000	O	Shortest end-of-frame cutoff with specified end-of-frame configuration. Selecting this code will override the overhang dimension found in the Vocational Analysis of Prospector.	0
Fuel Tanks & Equip			
7214075	O	Fuel Tank: 75 US gallon 24.5in. aluminum BOC replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	-11
7722153	S	Small round DEF tank, 14 gallons. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel	0



Sales Code	Std/Opt	Description	Weight
		capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	
7889204	O	DEF to fuel fill ratio between 1:1 and 2:1.	0
7889245	S	Anti-siphon device in fuel tank filler neck. For any number of fuel tanks.	0
7889604	S	DEF tank location is LH.	0
7940075	O	Location: 75 gal fuel tank LH behind cab	0
Cab & Equipment			
8025301	S	Cab: Stamped aluminum cab with panoramic curved glass windshield. Standard with stamped aluminum doors, heavy duty in-swinging hinges, and triple sealed doors. Manufactured using self-piercing rivets and structural adhesive. Includes LED exterior marker lights and turn signals.	0
8090605	S	Hood: T880 Short Length MX-Optimized W/Mechan. Fastened Fenders. 116.7 inch BBC.	0
8108011	S	Cab HVAC - Day Cab and 40in Sleeper System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes automatic temperature control with one touch defrost operation and dash mounted cab temperature and solar intensity sensors. Pleated fresh air filter and cabin recirculation air filter standard. The Kenworth HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab HVAC without sleeper heater AC is available with 40in sleeper.	0
8201047	S	Kenworth Smartwheel: 18 in. Non-Leather With Integrated Radio and Cruise Controls.	0
8201051	O	Column Mtd Retarder Control, RH Side Use with Manual & Allison Transmissions Only.	0
8201200	S	Adjustable telescoping tilt steering column.	0
8203110	O	Delete fan clutch manual override switch in cab.	0
8203197	O	Dash Mounted Compact Trailer Brake Valve. Non-Self Returning.	0
8205164	O	Dash Switch: 1st Single-Acting Eaton or PACCAR Mounted PTO. Electric switch, wiring, software, air solenoids, and plumbing are factory-installed to control the 1st Eaton (single-acting) trans PTO.	0
8222404	S	Gauge: DD Virtual Gauge - Oil Temp Engine	0
8222413	S	Gauge: DD Virtual Gauge - Manifold Pressure Boost	0
8222414	S	Gauge: DD Virtual Gauge - Engine Percent Torque	0
8282027	S	Main Instrument Package: 15" Digital Display.	0

Price Level January 1, 2022

100% Complete

Date: August 17, 2022

Deal Item 101

Quote Number: QUO-612360-Y5X7T3

Printed On: 8/18/2022 2:56:18 PM



Sales Code	Std/Opt	Description	Weight
		Includes Speedometer, Tachometer, Primary Air Pressure, Secondary Air Pressure, Fuel Level #1, DEF Level, DPF Filter Status, Fuel Economy, Oil Pressure, Coolant Temp, OAT and Voltmeter, and Air Application.	
8300008	S	Interior color: Slate Gray	0
8330102	S	Interior package: Vantage daycab Includes durable headliner and vinyl sidewalls with geometric patterned trim and anodized aluminum accents throughout. Convenient overhead storage cubbies, full size glove box, two center console cupholders, and large door pad map pocket. Standard LH/RH power windows, electric door locks, interior LED lighting, nighttime-friendly red ambient lighting for dash and footwell, and door mounted courtesy light. Includes two standard 12V power outlets. Driver sunvisor includes strap.	0
8390634	S	Rubber floormat	0
8410197	O	Driver Seat: GT701 HB with DuraCloth material. The GT701 is standard with a single air bag, scissor linkage seat suspension. It includes a single chamber lumbar support, 10in Fore/Aft adjustment, 7in Up/Down adjustment, 2.5in pan extension, 51 degree seat back recline, and 16 degree full seat tilt. Includes 3-point matching seat belts. DR seat standard w/ dual armrests.	0
8480101	O	Rider Seat: GT100 Toolbox LB with DuraCloth Material. The GT100 seats are standard with fixed base. Includes 3-point matching seat belts. Rider seat standard w/ LH armrest.	0
8490187	O	Seat Color: Gray	0
8601432	O	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	0
8698974	S	Base Level Audio System - Daycab:High Performance Door Speakers.	0
8700197	S	Turn Signal: Non-Self Cancelling	0
8700283	S	LH and RH Trip Ledge Rain Deflectors	0
8700663	S	Kenworth TruckTech+ The Kenworth Remote Diagnostics system provides the Worlds Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This option is Standard on all Heavy Duty Kenworths with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine. Optional on Medium Duty Kenworths.	0
8800372	O	Grabhandle: LH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit.	3
8800402	S	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	0
8832113	S	Kenworth Daylite Door with standard LH/RH electric door locks and LH/RH electric window controls.	0

Price Level January 1, 2022

100% Complete

Date: August 17, 2022

Deal Item 101

Quote Number QUO-612360-Y5X7T3

Printed On: 8/18/2022 2:56:18 PM



Sales Code	Std/ Opt	Description	Weight
8841411	S	Single air horn under cab.	0
8850139	S	Look-Down, Pass. Door, Black 11x6	0
8865002	S	Aero Mirror: Dual Kenworth Aerodynamic Motorized heated mirrors, 7in X 13in with cab color mirror shell and black mirror arms. Also includes LH/RH heated 6in X 7in convex mirrors. Mirror brackets set for 8-1/2 ft load width. Mirror controls located on driver side door pad.	0
8871446	S	Rear cab stationary window 19in x 36in	0
8890101	S	One-piece bonded-in windshield with curved glass. Standard.	0
8890359	O	Delete Wheelwell Fender Extension	-4
8890876	S	Kenworth Cab/Sleeper Air Suspension.	0
Lights & Instruments			
9010553	S	Headlamps: SAE Dual Halogen Complex Reflector	0
9022137	S	Marker Lights: Five, rectangular, LED	0
9030016	S	Turn Signal Lights: Flush mounted LED. Mounted at top of fender wheel arc.	0
9030052	S	LED Stop, Turn, Tail: With Two LED Backup Lights and With An LED License Plate.	0
9090000	O	Daytime Running Lamps.	0
9090039	S	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	0
9090052	O	Brake Lights on when Engine Brake Active. Can only be selected when chassis also has engine brake. Cannot be used with options to delete engine brake.	0
9090126	O	Electric Backup Alarm: Meets SAE J994 & OSHA requirements.	4
9090849	O	Polyswitches replacing fuses. Switch will automatically reset after removal of excess load.	0
Air Equipment			
9101218	S	Air Dryer: Bendix AD-HF Puraguard Heated	0
9108001	S	Moisture ejection valve w/ pull cable drain.	0
9110083	O	Tractor kit: Slide bar, spring hanger & composite gladhand/light plug holder mounted on back of cab/sleeper. Air and light line connections located on inboard style LH frame mounted bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake	-5

Price Level January 1, 2022

100% Complete

Date: August 17, 2022

Deal Item 101

Quote Number QUO-612380-Y5X7T3

Printed On: 8/18/2022 2:56:18 PM



Sales Code	Std/ Opt	Description	Weight
		valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	
9120014	O	Air and light line length 14 feet	0
9140020	S	Nylon air tubing in frame & cab, excluding hoses subject to excessive heat or flexing.	0
9140328	O	Trailer ABS electric supply through SAE J560 7-pin connector per TMC RP137).	0
Extended Warranty			
9200006	O	Base Warranty - PACCAR MX-11 & MX-13 Engine 24 months / 250,000 miles / 400,000 km / 6250 hours.	0
9200021	S	Base Warranty - Standard Service Heavy Duty 12 months / 100,000 miles / 160,000 km.	0
9212601	S	24 Month TruckTech+ Subscription for PACCAR MX Engines w/ OTA Functionality	0
9220001	O	Base Warranty: Emissions 5YR/100K MI - EPA Engine (Does not include CARB Clean Idle sticker)	0
Miscellaneous			
9409852	O	GHG Secondary Manufacturer: Does Not Apply	0
9490003	O	Additional lead time required for off highway & /or specialty component truck.	0
9491659	S	VMUX Architecture	0
Promotions			
Paint			
9700000	O	Paint color number(s).	0
		N9702 A - L0006 WHITE N9770 BUMPER L0006 WHITE N9720 FRAME N0001 BLACK	
9943001	O	Bumper Painted Color A	0
9943048	O	Day Cab Bulk Paint	0
9943050	O	Day Cab Standard Paint	0
9944820	S	1 - Color Paint - Day Cab Color will be White if no other color is specified.	0
9965510	S	Base coat/clear coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	0

Price Level January 1, 2022

100% Complete

Date: August 17, 2022

Deal Item 101

Quote Number QUO-612360-Y5X7T3

Printed On: 8/18/2022 2:56:18 PM



Sales Code	Std/ Opt	Description	Weight
---------------	-------------	-------------	--------

Order Comments

Total Weight

15,258

Prices and Specifications Subject to Change Without Notice.

Unpublished options may require review/approval.

Dimensional and performance data for unpublished options may vary from that displayed in CRM.

PRICING DISCLAIMER

While we make every effort to maintain the web site to preserve pricing accuracy, prices are subject to change without notice. Although the information in this price list is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order prebills to confirm your pricing information

Price Level: January 1, 2022

100% Complete

Date: August 17, 2022

Deal Item: 101

Quote Number: QUO-512360-Y5X7T3

Printed On: 8/18/2022 2:56:18 PM



Shipping Destinations

Intermediate Destination:

Final Destinations	Quantity
--------------------	----------

FSA Pricing

Item Number: 101
Group: Cab and Chassis Trucks: 52,000 LB GVWR Cab & Chassis 4x6 Semi Tractor
Make: Kenworth
Model: T880
Model #: T880
Discount: Options are discounted between 3% and 22% off of MSRP

ORDER CODE	OPTION - DESCRIPTION	COST
701109	PACCAR MX-11 430MT 430@1600 1450/1650@900 2021 Multi Torque with Engine Brake	\$288
101203	PACCAR MX-13 455MT 455@1600 1550/1750@900 2021 Multi Torque with Engine Brake	\$954
701206	PACCAR MX-13 510 510@1600 1850@1000 2021 with Engine Brake	\$1,215
130322	Cummins X15 500V 500@2000 1650@950 2021 with Inte Brake, Productivity Series	\$5,102
2058351	Transmission: Fuller FAO16810C 10-speed Fuller Advantage Series, Overdrive, Manual. *No oil cooler required. *Torque Limit: 1650 pound-feet.	\$652
2058604	PACCAR TX-12: PO-17F112C, 12-speed, 1750 LB FT With Hill Start Aid.	\$7,244
2058372	Transmission: Fuller RTLO16908LL 10-speed. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models.	\$2,210
2058444	Transmission: Fuller RTLO16913A 13-speed w/oil cooler& pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models.	\$2,845
2058743	Transmission: Fuller RTLO 16918B 18-speed. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650pound-feet '	\$4,182
GVW66K	66k GVW Dana Spicer D2000 Steer, 46k rears, AG460 Suspension	\$15,222
GVW66KHN	66k GVW Dana Spicer D2000 Steer, 46k rears, Hendrickson Primaxx suspension	\$16,988
2016153	Allison 4000RDS 6-Speed Auto Transmission to include synthetic oil	\$24,382
2016157	Allison 4500RDS 6-Speed Auto Transmission to include synthetic oil	\$26,034
2057371	Fuller RTLO16908LL 10-speed	\$2,100
6543864	5th Wheel 36" air slide	\$1,252
6141200	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel to 284 in. or 2nd insert for 11-5/8 in. steel frame	\$1,675
AAWH	All Aluminum Wheels	\$2,844
2503467	Dana Spicer E-1462W Front Axle rated 14.6K 3-1/2 in drop, wide track for better turning radius. 1	\$2,810
2506181	Dana Spicer D2000 Front Axle rated 20K -	\$5,828
3144170	Dual Dana Spicer D46-170 rear axle rated at 46K. Tandem rear axles w/12.5mm housing and 2.06in. shaft diameter. Tandem rear axles	\$8,234
3730032	Tandem Kenworth Airglide 400 40K 54 in. axle spacing. 10.5 in. ride height. Includes air suspension dump valve	\$3,212
3742020	Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 54 in. axle spacing. 10 in. ride height. '	\$4,442
3740130	Tandem Kenworth Airglide 460 46K 56 in. axle spacing, 10.5 in. ride height. Includes air suspension dump valve 1	\$3,181
DOHR	Headrack: Aluminum w/jailhouse window, (2) chain boxes, locking chain racks - dealer installed locking chain racks	\$2,468
WLK-LB	Hydraulic Wet Line Kit for Low Boy application - dealer installed	\$5,833
WLK-DT	Hydraulic Wet Line Kit for trailer dump application - dealer installed	\$6,512
DUALFUEL	Dual fuel tanks, ADD 100 Gallon RH BOC fuel tank	\$2,222
3532130	Wheel Differential Lock for Dana Spicer axles	\$1,887
3808119	Steerable Lift Axle: Pusher / Tag 13,200 lb. rating air lift to include 11R-22.5 tires with steel wheels Requires double frame and rear suspension upgrade	\$12,560
DOJP	Jack Plate for Detachable LowBoy - Dealer Installed	\$1,122

ORDER CODE	OPTION - DESCRIPTION	COST
8879917	Two Additional Outboard Windows - 19in. X 12in.	\$513
SSV	Stainless Steel Sunvisor	\$705
DOFF	Full Fenders for Tandem Axle - Dealer Installed	\$2,650
DISUNL	10% Discount off current MSRP for any options listed. This discount does not apply to any other make or model	NA
UNPUBBOD	Unpublished bodies are available at cost plus 5% including fees	NA
9202622	EW: Us Basic Vehicle 2yr/200,000 miles, United States only	\$1,095.00
9202633	EW: Us Basic Vehicle 3yr/300,000 miles, United States only	\$3,135.00
9202133	EW: US Heater & Air Conditioner 3yr/300,000, United States only 1	\$575.00
PP1AT-5/300	PACCAR Protection Plan 1 with After Treatment- 5yr/300,000 miles	\$2,880.00
PP1AT-5/400	PACCAR Protection Plan 1 with After Treatment- 5yr/400,000 miles	\$3,835.00
PP1AT-5/500	PACCAR Protection Plan 1 with After Treatment- 5yr/500,000 miles	\$5,085.00

Quote



Ed Costello
Truck Sales Manager

Kenworth of Jacksonville

833 Pickettville Road
Jacksonville, FL 32220
Office (904) 739-2296
Fax (904) 730-3461

October 26, 2022

**Nassau County Road & Bridge Department
Brian Mason**

2024 Kenworth T880 Day Cab

**Florida Sheriff's Association
Contract Number: FSA22-VEH20.0
Specification: 52,000 LB GVWR 4x6 Tractor
District: Northern**

Order Code	Description	Price
	Florida Sheriff's Association Base T880 - Northern	\$140,255.00
0701206	PACCAR MX-13 510 510@1600 1850@1000 2021 with Engine Brake	\$1,215.00
DISUNL / 2058614	Transmission: PACCAR TX-18: PXD-18F118D, 18 Speed, 1850 LB FT, Automated	\$8,829.00
6543864	5th Wheel 36" air slide	\$1,252.00
6141200	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel to 284 in. or 2nd insert for 11-5/8 in. steel frame	\$1,675.00
DISUNL / 4079060+4277456	11R24.5 tires and 24.5 diameter steel wheels	\$1,134.00
3740130	Tandem Kenworth Airglide 460 46K 56 in. axle spacing, 10.5 in. ride height. Includes air suspension dump valve	\$3,181.00
DOHR	Headrack: Aluminum w/jailhouse window, (2) chain boxes, locking chain racks	\$2,468.00
WLK-LB	Hydraulic Wet Line Kit for Low Boy application - dealer installed	\$5,833.00
3532130	Driver Controlled Differential Lock	\$1,887.00
TOTAL PRICE:		\$167,729.00

Thank you,

Ed Costello

Quote



Ed Costello
Truck Sales Manager

Kenworth of Jacksonville

833 Pickettville Road
Jacksonville, FL 32220
Office (904) 739-2296
Fax (904) 730-3461

October 26, 2022

**Nassau County Road & Bridge Department
Brian Mason**

2024 Kenworth T880 Day Cab

**Florida Sheriff's Association
Contract Number: FSA22-VEH20.0
Specification: 52,000 LB GVWR 4x6 Tractor
District: Northern**

Order Code	Description	Price
	Florida Sheriff's Association Base T880 - Northern	\$140,255.00
0701206	PACCAR MX-13 510 510@1600 1850@1000 2021 with Engine Brake	\$1,215.00
DISUNL / 2058614	Transmission: PACCAR TX-18: PXD-18F118D, 18 Speed, 1850 LB FT, Automated	\$8,829.00
6543864	5th Wheel 36" air slide	\$1,252.00
6141200	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel to 284 in. or 2nd insert for 11-5/8 in. steel frame	\$1,675.00
DISUNL / 4079060+4277456	11R24.5 tires and 24.5 diameter steel wheels	\$1,134.00
3740130	Tandem Kenworth Airglide 460 46K 56 in. axle spacing, 10.5 in. ride height. Includes air suspension dump valve	\$3,181.00
DOHR	Headrack: Aluminum w/jailhouse window, (2) chain boxes, locking chain racks	\$2,468.00
WLK-LB	Hydraulic Wet Line Kit for Low Boy application - dealer installed	\$5,833.00
3532130	Driver Controlled Differential Lock	\$1,887.00
TOTAL PRICE:		\$167,729.00

Item #

1

2

not listed

3

4

not listed

5

6

7

8

Thank you,

Ed Costello

Bid Award**Contract:** FSA22-VEH20.0, Heavy Trucks & Buses**Group:** CAB AND CHASSIS TRUCKS: 52,000 LB GVWR 4X6 SEMI TRACTOR**Item:** 101, Kenworth, T880, T880

Zone	Rank	Vendor	Price	Percent:	Build File	Options File	
Western	Primary	Kenworth of Jacksonville	\$140,505.00	0.00%	Build	Options	Ihan
	Alternate	Florida Kenworth, LLC	\$142,194.00	0.00%	Build	Options	
Northern	Primary	Kenworth of Jacksonville	\$140,255.00	0.00%	Build	Options	#1
	Alternate	Florida Kenworth, LLC	\$142,194.00	0.00%	Build	Options	
Central	Primary	Florida Kenworth, LLC	\$142,194.00	0.00%	Build	Options	
Southern	Primary	Florida Kenworth, LLC	\$142,194.00	0.00%	Build	Options	

Item Number: 101
 Group: Cab and Chassis Trucks: 52,000 LB GVWR Cab & Chassis 4x6 Semi Tractor
 Make: Kenworth
 Model: T880
 Model #: T880
 Discount: Options are discounted between 3% and 22% off of MSRP

ORDER CODE	OPTION - DESCRIPTION	COST	
701109	PACCAR MX-11 430MT 430@1600 1450/1650@900 2021 Multi Torque with Engine Brake	\$288	
101203	PACCAR MX-13 455MT 455@1600 1550/1750@900 2021 Multi Torque with Engine Brake	\$954	
701206	PACCAR MX-13 510 510@1600 1850@1000 2021 with Engine Brake	\$1,215	2
130322	Cummins X15 500V 500@2000 1650@950 2021 with Intebrake, Productivity Series	\$5,102	
2058351	Transmission: Fuller FAO16810C 10-speed Fuller Advantage Series, Overdrive, Manual. *No oil cooler required. *Torque Limit: 1650 pound-feet.	\$652	
2058604	PACCAR TX-12: PO-17F112C, 12-speed, 1750 LB FT With Hill Start Aid.	\$7,244	
2058372	Transmission: Fuller RTLO16908LL 10-speed. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models.	\$2,210	
2058444	Transmission: Fuller RTLO16913A 13-speed w/oil cooler& pump. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models.	\$2,845	
2058743	Transmission: Fuller RTLO 16918B 18-speed. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1650pound-feet '	\$4,182	
GVW66K	66k GVW Dana Spicer D2000 Steer, 46k rears, AG460 Suspension	\$15,222	
GVW66KHN	66k GVW Dana Spicer D2000 Steer, 46k rears, Hendrickson Primaxx suspension	\$16,988	
2016153	Allison 4000RDS 6-Speed Auto Transmission to include synthetic oil	\$24,382	
2016157	Allison 4500RDS 6-Speed Auto Transmission to include synthetic oil	\$26,034	
2057371	Fuller RTLO16908LL 10-speed	\$2,100	
6543864	5th Wheel 36" air slide	\$1,252	3
6141200	Full Steel Insert: for 10-5/8 in. or 10-3/4 in. Steel to 284 in. or 2nd insert for 11-5/8 in. steel frame	\$1,675	4
AAWH	All Aluminum Wheels	\$2,844	
2503467	Dana Spicer E-1462W Front Axle rated 14.6K 3-1/2 in drop, wide track for better turning radius. 1	\$2,810	
2506181	Dana Spicer D2000 Front Axle rated 20K -	\$5,828	
3144170	Dual Dana Spicer D46-170 rear axle rated at 46K. Tandem rear axles w/12.5mm housing and 2.06in. shaft diameter. Tandem rear axles	\$8,234	
3730032	Tandem Kenworth Airglide 400 40K 54 in. axle spacing, 10.5 in. ride height. Includes air suspension dump valve	\$3,212	
3742020	Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 54 in. axle spacing, 10 in. ride height. '	\$4,442	
3740130	Tandem Kenworth Airglide 460 46K 56 in. axle spacing, 10.5 in. ride height. Includes air suspension dump valve 1	\$3,181	5
DOHR	Headrack: Aluminum w/jailhouse window, (2) chain boxes, locking chain racks - dealer installed locking chain racks	\$2,468	6
WLK-LB	Hydraulic Wet Line Kit for Low Boy application - dealer installed	\$5,833	7
WLK-DT	Hydraulic Wet Line Kit for trailer dump application - dealer installed	\$6,512	
DUALFUEL	Dual fuel tanks, ADD 100 Gallon RH BOC fuel tank	\$2,222	
3532130	Wheel Differential Lock for Dana Spicer axles	\$1,887	8
3808119	Steerable Lift Axle: Pusher / Tag 13,200 lb. rating air lift to include 11R-22.5 tires with steel wheels Requires double frame and rear suspension upgrade	\$12,560	
DOJP	Jack Plate for Detachable LowBoy - Dealer Installed	\$1,122	

ORDER CODE	OPTION - DESCRIPTION	COST
8879917	Two Additional Outboard Windows - 19in. X 12in.	\$513
SSV	Stainless Steel Survivor	\$705
DOFF	Full Fenders for Tandem Axle - Dealer Installed	\$2,650
DISUNL	10% Discount off current MSRP for any options listed. This discount does not apply to any other make or model	NA
UNPUBBOD	Unpublished bodies are available at cost plus 5% including fees	NA
9202622	EW: Us Basic Vehicle 2yr/200,000 miles, United States only	\$1,095.00
9202633	EW: Us Basic Vehicle 3yr/300,000 miles, United States only	\$3,135.00
9202133	EW: US Heater & Air Conditioner 3yr/300,000, United States only 1	\$575.00
PP1AT-5/300	PACCAR Protection Plan 1 with After Treatment- 5yr/300,000 miles	\$2,880.00
PP1AT-5/400	PACCAR Protection Plan 1 with After Treatment- 5yr/400,000 miles	\$3,835.00
PP1AT-5/500	PACCAR Protection Plan 1 with After Treatment- 5yr/500,000 miles	\$5,085.00