


I:\23\obs\23\1010\_00\CAD\FS90\Site\Sheet\Exhibits\Pre-App Exhibits\_FS 90-Site.dwg  
9/8/2023 9:31 AM  
HAMPT01610

LEGEND:

- 1 1/2" SP-12.5 REGULAR DUTY ASPHALT PAVEMENT w/8" LIMEROCK BASE AND 12" STABILIZED SUBBASE
- 2" SP-12.5 HEAVY DUTY ASPHALT PAVEMENT w/8" LIMEROCK BASE AND 12" STABILIZED SUBBASE

- 5" 3000 PSI REGULAR DUTY CONCRETE SIDEWALKS AND PADS
- 8" 3500 PSI REINFORCED HEAVY DUTY CONCRETE PAVEMENT w/12" STABILIZED SUBBASE



©Copyright Hanson Professional Services Inc. 2016



DESIGNER:	D. HAMPTON	DESIGN ENGINEER
DRAWN BY:	D. HAMPTON	XXXX
DATE:	09/21/2022	
CHECKED BY:	R. DOWNING	FLORIDA REGISTRATION NO.
DATE:	09/22/2022	XXXXX

ACON CONSTRUCTION

HANSON PROJECT NO.	22L0133
DATE:	09/21/2022
SCALE:	AS NOTED

NASSAU COUNTY FIRE STATION 90  
PRELIMINARY SITE PLAN

SHEET NO.

THE OFFICIAL RECORD OF THIS SHEET IS THE ELECTRONIC FILE DIGITALLY SIGNED AND SEALED UNDER RULE 61G15-23.004, F.A.C.