




KEY MAP



PLANT SCHEDULE SHEET L1.02

TREES	BOTANICAL / COMMON NAME	CONT	CAL	SIZE
AF*	Acer rubrum / Florida Flame* / Florida Flame Red Maple	3" cal		16' hgt
LA*	Liriodendron tulipifera / Yellow* / Yellow Poplar	3" cal		16' hgt
LSA*	Liquidambar styraciflua / Sweet Gum	3" cal		16' hgt
QC*	Quercus chapmanii / Chapman's Oak	4" cal		16' hgt
QL*	Quercus laurifolia / Laurel-leaved Oak	4" cal		16' hgt
QV*	Quercus virginiana / Southern Live Oak	4" cal		16' hgt
UA*	Ulmus alata / Winged Elm	3" cal		16' hgt

SHRUBS	BOTANICAL / COMMON NAME	CONTAINER	MIN. SIZE	SPACING
AE	Aspidistra elatior / Cast Iron Plant	3 gal		
AF2	Azalea indica / Formosa* / Formosa Indica Azalea	5 gal		
AM	Azalea indica 'Mrs. G.C. Gentry' / Mrs. G.C. Gentry Indica Azalea	5 gal		
BA	Bambusa multiplex 'Alphonse Karr' / Alphonse Karr Hedge Bamboo	15 gal		
CS	Camellia hiemalis 'Shishigashira' / Shishigashira Camellia	3 gal		
HQ	Hydrangea quercifolia / Oakleaf Hydrangea	5 gal		
HN	Hex cornuta 'Needlepoint' / Needlepoint Chinese Holly	3 gal		
LU	Ligustrum japonicum 'Jack Frost' / Jack Frost Japanese Privet	3 gal		
MB2	Musa basjoo / Japanese Fiber Banana	15 gal		
MC	Muhlenbergia capillaris / Pink Munny Grass	1 gal		
NC	Neurum oleander 'Cajiput' / Cajiput Oleander	5 gal		
NS	Neurum oleander 'Petal Salmon' / Petal Salmon Oleander	3 gal		
OF	Osmantbus fragrans / Sweet Olive	7 gal		
PA	Plumbago auriculata / Blue Plumbago	7 gal		
PV	Pittosporum tobira 'Variegata' / Variegated Japanese Pittosporum	15 gal		

GROUND COVERS	BOTANICAL / COMMON NAME	CONTAINER	MIN. SIZE	SPACING
AG	Arachis glabrata / Perennial Peanut	1 gal		12" o.c.
BH	Bulbine frutescens 'Halmark' / Halmark Stalked Bulbine	1 gal		18" o.c.
CT	Cheilanthes latifolia / Northern Sea Oats	Plugs		36" o.c.
LS2	Liriope muscari 'Super Blue' / Super Blue Lilyturf	1 gal		12" o.c.
TA	Trachypogon distachyus / Atlantic Seaweed	6" pot		36" o.c.
TD	Tripogon floridanum / Florida Gamagrass	Plugs		36" o.c.

Plant material. All installed trees, shrubs and groundcovers shall conform to the standards for Florida Grade #1 or better according to the current edition of "Grades and Standards for Nursery plants" published by the Florida Department of Agriculture and Consumer Services, Division of Plant Industry. Synthetic or artificial trees, shrubs, groundcovers or vines are not acceptable substitutes. In choosing plant materials, consideration should be given to the amount of sun or shade, the wetness or dryness of the soil, the effects of salt spray (where applicable), the amount of irrigation required and the mature size and spatial needs of plants chosen.

- The minimum number of trees required by this section shall be either qualifying existing trees preserved on-site or more than one species listed in Tables 37-1 or 37-2. Trees planted in addition to these minimum requirements of this section may be any species of canopy tree or palm except for the prohibited species listed herein. In order to prevent a monoculture, new landscaping should not include more than fifty (50) percent of any one genus or twenty-five (25) percent of any one species. All trees shall be planted in a minimum dimension of ten (10) feet. This minimum planting area must be free of all pavement and vehicle overhang in order to prevent possible tree damage. All trees shall have a minimum trunk diameter, measured six (6) inches above ground level, in accordance with Table 37-3.
- Shrubs shall have a minimum height of eighteen (18) inches when planted. When planted as a hedge, the maximum spacing is 30 inches on center. All shrubs used for visual screening shall be of a plant species that is capable of reaching a height of four (4) feet within twenty-four (24) months under normal growing conditions. Shrubs used as accent ground cover and vines may vary in size depending on the type of plant material and the desired effect.
- Groundcovers shall be planted in such manner as to present a finished appearance and complete coverage within one (1) year after planting.

"Upland buffers shall be maintained in their natural vegetated condition. Native vegetation removed or destroyed within the upland buffer in violation of Nassau County Comprehensive Plan Policy 1.04A.02 shall be restored. These areas shall be replanted with comparable native vegetative species as were removed or destroyed. Noxious and non-native invasive plant materials can be removed. Dead vegetation can be removed. Limbing can occur within the buffers, provided that the limbs to be removed are less than three (3) inches in diameter."

SITE solutions

LANDSCAPE ARCHITECTURE • LAND PLANNING
 3715 Northlake Parkway T: 404.705.9411
 300 Northcreek Bldg. 300 F: 404.705.9491
 Atlanta, Georgia 30327 www.siteofsolutions.com

COPYRIGHT © 2005 BY SITE solutions, LLC. LANDSCAPE ARCHITECTS. ALL RIGHTS RESERVED. THIS DOCUMENT (INCLUDING ELECTRONIC AND REPRODUCTIONS) IS THE PROPERTY OF SITE solutions, LLC. AND ONLY FOR USE ON THE PROJECT SPECIFIED HEREIN. IT IS NOT TO BE USED ON OTHER PROJECTS OR EXTENSIONS TO THIS PROJECT. IN WHOLE OR IN PART, EXCEPT BY THE EXPRESSED WRITTEN AGREEMENT WITH SITE solutions, LLC. THIS DOCUMENT AND REPRODUCTIONS SHALL NOT BE CONSIDERED A CERTIFIED DOCUMENT.

PROFESSIONAL STAMP:



EMBLEM TRIBUTARY

PREPARED FOR
LMC

SHEET STATUS

MARK	DATE	BY	RELEASE
	04/27/2022		CD SET
1	07/15/2022		REVISION 1
2	09/02/2022		CROSSWALK REVISION
3	11/29/2022		COUNTY COMMENTS
4	02/13/2023		COUNTY COMMENTS
5	04/05/2023		COUNTY COMMENTS

SHEET TITLE:

LANDSCAPE PLAN

PROJECT NUMBER:
22010.00

L1.02

DATE: 04.27.2022
 ISSUED FOR CONSTRUCTION

