

Exhibit A
the Property

Description: A parcel of land, being a portion of Section 36 and the William Fox Grant, Section 38, Township 4 North, Range 26 East, and being a portion of Sections 32 and 33, Township 4 North, Range 27 East, and being a portion of Section 1 and the Charles Seton Grant, Section 37 and the William Fox Grant, Section 38 and the Heirs of E. Waterman Grant, Section 41, Township 3 North, Range 26 East, and being a portion of the William Hobkirk Grant, Section 41 and the William Hobkirk Grant and Thomas May Grant, Section 42 and the Thomas May Grant, Section 43, the Josiah Smith Grant, Section 44 and the Eugenia Brant Grant, Section 45 and the S. Cashen Grant, Section 46 and the Spicer S. Christopher Grant and J. Smith Grant, Section 47 and the Spicer S. Christopher Grant, Section 48 and the Charles Seton Grant, Section 49 and the Heirs of E. Waterman Mill Grant, Section 50 and the John W. Lowe Mill Grant, Section 51 and the John Wingate Grant, Section 53 and the W and J Lofton Grant, Section 54 and the W and J Lofton Grant, Section 55, and the John Carr Grant, Section 56, Township 3 North, Range 27 East and being a portion of Section 37 and the John W. Lowe Mill Grant, Section 44, Township 3 North, Range 28 East, all in Nassau County, Florida and being more particularly described as follows:

Begin at the intersection of the Northeasterly Right-of-Way line of U.S. Highway No. 17 (a 137.50 foot Right-of-Way at this point) and the Easterly Right-of-Way line of Crandall Road (a 40 foot County Maintained Right-of-Way); thence on said Northeasterly Right-of-Way line for the next 3 courses, thence N 32°52'39" W, a distance 1680.52 feet; thence N 32°57'39" W, a distance 2740.76 feet; thence N 32°53'09" W, a distance 733.22 feet to the Southwest corner of those lands described in Official Record Book 611, Page 651 of the Public Records of Nassau County, Florida; thence departing said Northeasterly Right-of-Way line and on the Southerly line, Easterly line and Northerly line of said lands for the next 3 courses, N 57°06'51" E, a distance 415.00 feet; thence N 32°53'09" W, a distance 315.00 feet; thence S 57°06'51" W, a distance 415.00 feet to the Northwest corner of said lands said point also being on the aforesaid Northeasterly Right-of-Way line of U.S. Highway No. 17; thence departing said Northerly line and on said Northeasterly Right-of-Way line, N 32°53'09" W, a distance 4009.48 feet to the most Southwesterly corner of those lands described in Official Record Book 44, Page 221 of said Public Records; thence departing said Northeasterly Right-of-Way line and on the Southerly line, Westerly line, Southerly line, Easterly line and on the Northwesterly prolongation thereof for the next 4 courses, thence N 57°06'51" E, a distance 349.29 feet; thence S 32°53'09" E, a distance 735.00 feet; thence N 57°06'51" E, a distance 650.71 feet; thence N 32°53'09" W, a distance 1832.50 feet to the Northeasterly corner of those lands described in Official Record Book 1415, Page 574 of said Public Records; thence departing said Northwesterly prolongation line and on the Northerly line of said lands, S 57°06'51" W, a distance 1000.00 feet to the Northwesterly corner of said lands said point also being on the aforesaid Northeasterly Right-of-Way line of U.S. Highway No. 17; thence departing said Northerly line and on said Northeasterly Right-of-Way line for the next 6 courses, N 32°53'09" W, a distance 693.03 feet; thence N 32°54'39" W, a distance 534.04 feet; thence N 33°01'13" E, a distance 164.28 feet; thence N 32°54'39" W, a distance 695.00 feet; thence S 89°26'12" W, a distance 177.55 feet; thence N 32°54'39" W, a distance 2036.94 feet to the Southeast corner of those lands described in Official Record Book 1641, Page 1573 of said Public Records; thence departing said Northeasterly Right-of-Way line and on the Easterly line and on Northerly lines of said lands for the next 3 courses, N 24°41'55" E, a distance 4517.43 feet; thence N 21°05'55" W, a distance 658.43 feet; thence N 65°17'21" W, a distance 1624.14 feet to a point on the Easterly limited Access Right of Way line of Interstate 95 (variable width limited Access Right of Way); thence departing said Northerly line and on said Easterly limited Access Right of Way line for the next 2 courses, N 24°42'34" E, a distance 690.82 feet; thence N 31°16'11" E, a distance 1059.18 feet to a point on the Mean High Water Line of the St. Mary's River said point being referred to

as reference point "A"; thence departing said Easterly limited Access Right of Way line and on said Mean High Water Line, Southeasterly, a distance of 2951 feet more or less to a point on the Easterly line of the William Fox Grant, Section 38, Township 4 North, Range 26 East, Nassau County, Florida said point having a tie line of, S 51°34'50" E, a distance of 2855.64 feet from said reference point "A"; thence departing said Mean High Water Line and on said Easterly line, S 33°27'43" W, a distance 748.66 feet to a point on the North line of the Charles Seton Grant, Section 37, Township 3 North, Range 26 East, Nassau County, Florida; thence departing said Easterly line and on said North line, N 88°44'44" E, a distance 513.75 feet to a point on the aforesaid Mean High Water Line of the St. Mary's River said point being referred to as reference point "B"; thence departing said North line and on said Mean High Water Line, Southeasterly, a distance of 5276 feet more or less to a point on said Mean High Water Line said point being referred to as reference point "C" said point having a tie line of, S 36°30'52" E, a distance of 4828.26 feet from said reference point "B"; thence continue on said Mean High Water Line, Northeasterly, a distance of 7051 feet more or less to a point on the South line of Section 32, Township 4 North, Range 27 East, Nassau County, Florida, said point also being on said Mean High Water Line said point being referred to as reference point "D" said point having a tie line of, N 49°38'32" E, a distance of 6131.74 feet from said reference point "C"; thence continue on said Mean High Water Line, Northeasterly a distance of 3218 feet more or less to a point on said Mean High Water Line said point being referred to as reference point "E" said point having a tie line of, N 59°42'40" E, a distance of 3066.75 feet from said reference point "D"; thence continue on said Mean High Water Line, Southeasterly and Northeasterly, a distance of 10,304 feet more or less to a point on said Mean High Water Line said point being referred to as reference point "F" said point having a tie line of, S 86°49'56" E, a distance of 6272.48 feet from said reference point "E"; thence continue on said Mean High Water Line, Southeasterly and Northeasterly, a distance of 9016 feet more or less to a point on said Mean High Water Line said point being referred to as reference point "G" said point having a tie line of, S 76°57'13" E, a distance of 6753.01 feet from said reference point "F"; thence continue on said Mean High Water Line, Southeasterly, a distance of 7683 feet more or less to the Northwest corner of those lands described in Official Record Book 1043, Page 181 of said Public Records said point also being on said Mean High Water Line said point having a tie line of, S 15°33'29" E, a distance of 5567.35 feet from said reference point "G"; thence departing said Mean High Water Line and on the Westerly line and Southerly line of said lands for the next 2 courses, S 02°30'20" E, a distance 677.00 feet; thence S 72°00'20" E, a distance 696.00 feet to the Southeast corner of said lands said point also being on the Easterly line of the William Hobkirk Grant and Thomas May Grant, Section 42, Township 3 North, Range 27 East, Nassau County, Florida; thence departing said Southerly line and on said Easterly line, S 43°59'40" W, a distance 2341.20 feet to the Northwesterly corner of the William Hobkirk Grant, Section 41, Township 3 North, Range 27 East, Nassau County, Florida; thence departing said Easterly line and on the Northerly line of said Section 41, S 46°58'42" E, a distance 3347.31 feet to the Northeasterly corner of said Section 41 said point also being the most Northerly corner of the Heirs of E. Waterman Mill Grant, Section 50, Township 3 North, Range 27 East, Nassau County, Florida; thence departing said Northerly line and on said Northerly line of Section 50, S 46°45'09" E, a distance 3141.05 feet; thence departing said Northerly line, S 43°07'50" W, a distance 47.78 feet to a point on the Southerly Right of Way line of Rose Bluff Road (66 foot Right of Way); thence on said Southerly Right of Way line, S 46°52'10" E, a distance 3672.22 feet to the Northwest corner of Creekside Unit I as recorded in Plat Book 6, Page 320 of the Public Records of Nassau County, Florida; thence departing said Southerly Right of Way line and on the Westerly line of said Creekside Unit I, S 43°56'29" W, a distance 922.51 feet to

the Southwest corner of said Creekside Unit I; thence departing said Westerly line and on the Southerly of said Creekside Unit I and on the Southerly line of Creekside Unit II as recorded in Plat Book 7, Pages 32 and 33 of said Public Records and on the Southerly line of those lands described in Official Record Book 1699, Page 1781 of said Public Records, S 47°56'22" E, a distance 2923.03 feet to the Northwest corner of said lands; thence departing said Southerly line and on the Northerly lines, Westerly lines, South line and East line of said lands for the next 7 courses, S 44°21'01" W, a distance 248.94 feet; thence S 88°38'46" W, a distance 550.24 feet; thence S 46°58'49" E, a distance 307.88 feet; thence N 88°37'03" E, a distance 237.76 feet; thence S 02°22'18" W, a distance 473.95 feet; thence S 88°16'36" E, a distance 450.33 feet; thence N 01°36'34" E, a distance 711.99 feet to the Northeast corner of said lands said point also being on the aforesaid Southerly line of those lands described in Official Record Book 1699, Page 1781; thence departing said East line and on said Southerly line of those lands described in Official Record Book 631, Page 31 of said Public Records, S 47°56'22" E, a distance 2961.43 feet to the Southeast corner of said lands; thence departing said Southerly line and on the Easterly line of said lands, N 38°10'15" E, a distance 382.73 feet to a point on the Southerly County Maintained Right of Way line of Lee Road said point being on a curve, concave Northwest, having of radius 85.46 feet and a central angle of 28°44'32"; thence departing said Easterly line and on said Southerly County Maintained Right of Way line and on the arc of said curve for the next 4 courses, a distance of 42.87 feet said arc being subtended by a chord which bears N 69°54'46" E, a distance of 42.42 feet to the curves end; thence N 53°02'00" E, a distance 40.64 feet to the beginning of a curve, concave Southeast, having of radius 73.38 feet and a central angle of 36°59'17"; thence on the arc of said curve a distance of 47.37 feet said arc being subtended by a chord which bears N 75°22'46" E, a distance of 46.55 feet to the curves end; thence S 71°13'20" E, a distance 279.61 feet to the Northwest corner of those lands described in Official Record Book 631, Page 31 of the aforesaid Public Records; thence departing said Southerly County Maintained Right of Way line and on the Westerly line of said lands and the Southerly prolongation thereof, S 07°40'39" W, a distance 1608.34 feet to the Southwest corner of those lands described in Official Record Book 802, Page 1281 of said Public Records; thence departing said Southerly prolongation line and on the Southerly line of said lands, S 82°19'01" E, a distance 399.49 feet to a point on the Westerly Right of Way line of Chester Road (Variable Width Right of Way); thence departing said Southerly line and on said Westerly Right of Way line for the next 3 courses, S 07°40'57" W, a distance 21.94 feet; thence S 07°43'19" W, a distance 9134.66 feet; thence S 08°41'14" W, a distance 747.21 feet to a point on the Northerly Right of Way line of Pages Dairy Road (100 foot Right of Way); thence departing said Westerly Right of Way line and on said Northerly Right of Way line for the next 8 courses, N 63°45'37" W, a distance 1908.42 feet to the beginning of a curve, concave Northeast, having a radius of 1859.00 feet and a central angle of 13°19'52"; thence on the arc of said curve a distance of 432.54 feet said arc being subtended by a chord which bears N 57°05'41" W, a distance of 431.57 feet to the curves end; thence N 50°25'45" W, a distance 1077.81 feet; thence N 51°29'02" W, a distance 1087.78 feet to the beginning of a curve, concave Southwest, having a radius of 5786.70 feet and a central angle of 12°04'58"; thence on the arc of said curve a distance of 1220.33 feet said arc being subtended by a chord which bears N 57°31'31" W, a distance of 1218.07 feet to the curves end; thence N 63°34'00" W, a distance 549.97 feet to the beginning of a curve, concave Southwest, having a radius of 2914.79 feet and a central angle of 11°37'45"; thence on the arc of said curve a distance of 591.61 feet said arc being subtended by a chord which bears N 69°22'53" W, a distance of 590.59 feet to the curves end; thence N 75°11'45" W, a distance 386.35 feet to the Southeast corner of Page Hill Unit 1, as recorded in Plat Book 6, Pages 237 and 238 of the Public Records of Nassau County, Florida; thence on the Easterly line of said

Page Hill Unit 1 and on the Easterly line of Page Hill Unit 2, as recorded in Plat Book 6, Pages 318 and 319 of said Public Records and on the Easterly line of Page Hill Unit 3, as recorded in Plat Book 6, Pages 341 and 342 of said Public Records for the next 6 courses, thence N 15°14'52" E, a distance of 624.51 feet; thence N 31°18'20" E, a distance of 1600.42 feet; thence N 31°16'17" E, a distance of 1617.68 feet; thence N 31°18'20" E, a distance of 77.25 feet; thence N 31°14'20" E, a distance of 712.26 feet; thence N 15°00'35" E, a distance of 1945.10 feet to the Northeast corner of said Page Hill Unit 3, as recorded in Plat Book 6, Pages 341 and 342; thence departing said Easterly line and on the North line of said Page Hill Unit 3, S 89°08'26" W, a distance 1948.04 feet to the Northwest corner of said Page Hill Unit 3; thence departing said North line and on the Westerly line of said Page Hill Unit 3 and on the Westerly line of the aforesaid Page Hill Unit 2 and on the Westerly line of Page Hill Unit 1 as recorded in Plat Book 6, Pages 237 and 238 of said Public Record and on the Westerly line of those lands described in Official Record Book 1127, Page 877 of the Public Records of Nassau County, Florida for the next 5 courses, S 06°17'22" W, a distance 846.40 feet; thence S 15°13'56" W, a distance 1678.50 feet; thence S 15°14'27" W, a distance 1129.83 feet; thence N 80°46'29" W, a distance 416.31 feet; thence S 15°10'34" W, a distance 2205.85 feet to a point on the aforesaid Northerly Right of Way line of Pages Dairy Road; thence departing said Westerly line and on said Northerly Right of Way line for the next 2 courses, N 76°11'45" W, a distance 824.27 feet to the beginning of a curve, concave Southerly, having a radius of 1004.93 feet and a central angle of 19°06'09"; thence on the arc of said curve a distance of 335.04 feet said arc being subtended by a chord which bears N 85°44'50" W, a distance of 333.49 feet to the Southeast corner of Yulee Hills as recorded in Plat Book 4, Page 31 of the aforesaid Public Records; thence departing said Northerly Right of Way line and on the Easterly line of said Yulee Hills, N 4°55'07" W, a distance 6150.59 feet to the Northeast corner of said Yulee Hills said point also being on the Easterly line of the Heirs of E. Waterman Mill Grant, Section 50, Township 3 North, Range 27 East, Nassau County, Florida. thence departing said Easterly line and on the Westerly line of Yulee Hills and also being on said Easterly line of Section 50, S 43°57'08" W, a distance 6123.00 feet to the Southwest corner of said Yulee Hills; thence departing said Westerly line and continuing on said Easterly line of Section 50, S 43°54'03" W, a distance 4814.17 feet to a point on the North Right of Way line of Pages Dairy Road (80 foot Right of Way) said point also being on a curve, concave Southeast, having of radius 449.26 feet and a central angle of 1°13'25"; thence departing said Easterly line and on said North Right of Way line and on the arc of said curve a distance of 9.59 feet said arc being subtended by a chord which bears S 75°39'19" W, a distance of 9.59 feet to a point on the North Right of Way line of Jefferson Street (75 foot Right of Way) as shown on North Yulee as recorded in Plat Book 2, Page 26 of the aforesaid Public Records; thence departing said North Right of Way line of Pages Dairy Road and on said North Right of Way line of Jefferson Street, N 89°26'08" W, a distance 1639.13 feet to the Southeast corner of those lands described in Official Record Book 325, Page 159 of said Public Records; thence departing said North Right of Way line and on the Easterly line of said lands, N 28°15'16" W, a distance 2192.02 feet to the Northeast corner of said lands said point also being on the Easterly line of those lands described in Official Record Book 1629, Page 1511 of said Public Records; thence departing said Easterly line and on said Easterly line of those lands described in Official Record Book 1629, Page 1511 and on the Easterly line of those lands described in Official Record Book 1974, Page 625 of said Public Records, N 44°18'02" E, a distance 1176.85 feet to the Northeast corner of said lands; thence departing said Easterly line and on the Northerly line of said lands and the Northwesterly prolongation thereof, N 46°33'16" W, a distance 4615.27 feet to the Northeast corner of those lands described in Official Record Book 1871, Page 1833 of said Public Records; thence departing said Northwesterly prolongation line, N

37°23'25" W, a distance 1233.89 feet; thence N 56°35'19" W, a distance 1550.05 feet to the Northeast corner of those lands described in Official Record Book 762, Page 958 of said Public Records; thence on the Northerly line of said lands and on the Northwesterly prolongation thereof, N 45°06'08" W, a distance 2178.00 feet to the Northwest corner of those lands described in Official Record Book 590, Page 920 of said Public Records; thence departing said Northwesterly prolongation line and on the Westerly line of said lands, S 44°53'52" W, a distance 2046.00 feet to the Southwest corner of said lands; thence departing said Westerly line and on the Southerly line of said lands and on the Southeasterly prolongation thereof, S 45°06'08" E, a distance 822.96 feet to a point on the Westerly line of those lands described in Official Record Book 1961, Page 1186 of said Public Records; thence departing said Southeasterly prolongation line and on the Westerly line of said lands and the Southwesterly prolongation thereof, S 50°46'31" W, a distance 417.39 feet to a point on the aforesaid Northeasterly Right of Way line of U.S. Highway No. 17; thence departing said Southwesterly prolongation line and on said Northeasterly Right of Way line for the next 3 courses, N 38°45'39" W, a distance 897.57 feet to the beginning of a curve, concave Northeast, having a radius of 5629.65 feet and a central angle of 5°53'00"; thence on the arc of said curve a distance of 578.07 feet said arc being subtended by a chord which bears N 35°49'09" W, a distance of 577.82 feet to the curves end; thence N 32°52'39" W, a distance 2569.25 feet to the Southeast corner of those lands described in Official Record Book 87, Page 429 of the aforesaid Public Records; thence departing said Northeasterly Right of Way line and on the Easterly line, Northerly line, and the Westerly line of said lands for the next 3 courses, N 57°07'21" E, a distance 208.70 feet; thence N 32°52'39" W, a distance 208.70 feet; thence S 57°07'21" W, a distance 208.70 feet to a point on the aforesaid Northeasterly Right of Way line of U.S. Highway No. 17; thence departing said Westerly line and on said Northeasterly Right of Way line, N 32°52'39" W, a distance 1163.92 feet to the Southeast corner of those lands described in Official Record Book 756, Page 587 of the aforesaid Public Records; thence departing said Northeasterly Right of Way line and on the Easterly line of said lands, N 57°07'21" E, a distance 85.00 feet to the Southwest corner of those lands described in Official Record Book 309, Page 673 of said Public Records; thence departing said Easterly line and on the Southerly of said lands and on the Southeasterly prolongation thereof, S 54°09'58" E, a distance 1053.12 feet to the Southeast corner of those lands described in Official Record Book 1131, Page 1698 of said Public Records; thence departing said Southeasterly prolongation line and on the Easterly line of said lands and on the Northeasterly prolongation thereof, N 57°00'06" E, a distance 909.57 feet to the Northeast corner of those lands described in Official Record Book 1171, Page 330 of said Public Records; thence departing said Northeasterly prolongation line and on the Northerly line of said lands and on the Northwesterly prolongation thereof, N 32°52'44" W, a distance 1651.85 feet to the Northwest corner of those lands described in Official Record Book 725, Page 172 of said Public Records; thence departing said Northwesterly prolongation line and on the Westerly line of said lands, S 46°25'51" W, a distance 1401.20 feet to the Point of Beginning.

Less and Except:

Crandall Road as being described below:

Crandall Road

A parcel of land, being a portion of Section 32, Township 4 North, Range 27 East, and being a portion of the Spicer S. Christopher Grant and J. Smith Grant, Section 47, the Spicer S. Christopher Grant, Section

48 and the Heirs of E. Waterman Mill Grant, Section 50, all in Township 3 North, Range 27 East, Nassau County, Florida and being more particularly described as follows:


Begin at the intersection of the Northeasterly Right-of-Way line of U.S. Highway No. 17 (a 137.50 foot Right-of-Way at this point) and the Easterly Right-of-Way line of Crandall Road (a 40 foot County Maintained Right-of-Way); thence on said Northeasterly Right-of-Way line, thence N 32°52'39" W, a distance 40.71 feet to a point on the Westerly Right-of-Way line of said Crandall Road; thence departing said Northeasterly Right-of-Way line and on said Westerly Right-of-Way line and on the Northerly Right-of-Way line and the Easterly Right-of-Way line of said Crandall Road for the next 29 courses, N 46°25'51" E, a distance of 481.84 feet; thence N 32°05'53" E, a distance of 2418.72 feet to the beginning of a curve, concave Northwest, having a radius of 980.00 feet and a central angle of 20°18'59"; thence on the arc of said curve a distance of 347.50 feet said arc being subtended by a chord which bears N 21°56'23" E, a distance of 345.68 feet to the curves end; thence N 11°46'53" E, a distance of 3953.5 feet; thence N 13°38'05" E, a distance of 600.31 feet; thence N 15°36'12" E, a distance of 2912.08 feet; thence N 16°05'53" E, a distance of 2532.7 feet; thence N 17°11'45" E, a distance of 3439.63 feet; thence N 16°50'41" E, a distance of 1216.59 feet; thence N 13°33'13" E, a distance of 248.97 feet; thence N 05°39'41" E, a distance of 496.30 feet; thence N 11°34'20" E, a distance of 209.7 feet to the beginning of a curve, concave Southeast, having a radius of 320.00 feet and a central angle of 28°06'20"; thence on the arc of said curve a distance of 156.97 feet said arc being subtended by a chord which bears N 25°37'30" E, a distance of 155.40 feet to the curves end; thence N 39°40'40" E, a distance of 158.24 feet; thence S 50°19'20" E, a distance of 40.00 feet; thence S 39°40'40" W, a distance of 158.24 feet to the beginning of a curve, concave Southeast, having a radius of 280.00 feet and a central angle of 28°06'20"; thence on the arc of said curve a distance of 137.35 feet said arc being subtended by a chord which bears S 25°37'30" W, a distance of 135.98 feet to the curves end; thence S 11°34'20" W, a distance of 207.64 feet; thence S 05°39'41" W, a distance of 496.99 feet; thence S 13°33'13" W, a distance of 252.88 feet; thence S 16°50'41" W, a distance of 1217.86 feet; thence S 17°11'45" W, a distance of 3439.37 feet; thence S 16°05'53" W, a distance of 2532.14 feet; thence S 15°36'12" W, a distance of 2911.22 feet; thence S 13°38'05" W, a distance of 598.98 feet; thence S 11°46'53" W, a distance of 3952.85 feet to the beginning of a curve, concave Northwest, having a radius of 1020.00 feet and a central angle of 20°18'59"; thence on the arc of said curve a distance of 361.68 feet said arc being subtended by a chord which bears S 21°56'23" W, a distance of 359.79 feet to the curves end; thence S 32°05'53" W, a distance of 2423.75 feet; thence S 46°25'51" W, a distance of 494.42 feet to the Point of Beginning.

Less and Except:

Those lands described in Official Records Book 235, Page 149 and Official Records Book 609, Page 780 all of the Public Records of Nassau County, Florida.

Exhibit B

DSAP Master Land Use Plan




Wildlight - DSAP #2

DSAP Master Land Use Plan
Adopted June 26th, 2023

Source: ETM, Nassau County

- ENCPA Boundary
- DSAP #2 - Area
- Nassau County Boundary
- Hydrography
- ENCPA Proposed Roads
 - Mobility Road
 - Internal Road
- Transit Oriented Development
- St. Marys River Greenway per Policy FL 13.09
- Proposed Land Use
 - Employment Center
 - Regional Center
 - Resort Development
 - Tier 1 Residential
 - Tier 2 Residential
 - Tier 3 Residential
 - Village Center
- CHN
 - Uplands
 - Wetlands



ETM England-Thims & Miller, Inc.
VISION • EXPERIENCE • RESULTS
14775 Old St. Augustine Road Jacksonville, FL 32258
904-642-8990 • Fax: 904-646-9485 • www.etm-inc.com